

REPORT

Technical Report: (8523)009-0177

Page 1 of 3
January 15, 2023





DATE IN: JANUARY 9, 2023
MOD. LOG IN: /
DATE OUT: JANUARY 15, 2023
REVISED DATE: /
WORKING DAYS: 6
PAGE: 2 OF 3

PASS	<u>X</u>
FAIL	<u> </u>
DATA	<u> </u>

Sample Description:	Artificial Pampas Grass Tree													
Manufacturer:	/								P.O. No.:	/				
Buyer:	/								Style:	Model#: T73L20054				
Country of Origin:	CHINA								Country of Destination:	/				
Color:	/								SKU Number:	/				
Re-test:	Yes:			No:	X	Charge Vendor:				Yes:	X	No:		
Previous Report No.:	/													

EXECUTIVE SUMMARY:

SUMMARY OF TEST RESULTS

TEST REQUESTED	CONCLUSION	REMARK
16CFR 1500.44 Flammability	PASS	See attached results

Evaluation	Citation / Method	No. of Samples	Criteria	Result	Rating
Solids - Flammability	16 CFR 1500.3(c)(6)(vi) / 16 CFR 1500.44	1	Shall not exceed the maximum allowable limit of no greater than 0.1 inches per second.	M	PASS

REMARK(S):


1. No protocol is enclosed with this report.
2. As per client's request, only 16CFR 1500.44 Flammability test was conducted in this report.

NOTE: If there are questions or concerns regarding above report, please contact the appropriate lab persons.

Technical questions & concerns: Laura Liu / Peter Wan
(+86)755-32980236 / 32980233
Laura.liu@bureauveritas.com
Peter.wan@bureauveritas.com

General Enquiries: Aimee Peng / Penny Tian
(+86)755- 32980220 / 32980229
Aimee.peng@bureauveritas.com
Penny.tian@bureauveritas.com

BUREAU VERITAS SHENZHEN CO., LTD



LARRY CHING
SENIOR MANAGER – HARDLINES DIVISION

END OF REPORT